

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office APR 17 2009

Returned to applicant for correction _____

Corrected application filed _____ Map filed APR 17 2009

The applicant Baker Ranches, Inc.

P.O. Box 29 of Baker
Street Address or P.O. Box City or Town

Nevada, 89311 hereby make(s) application for permission to appropriate
State and Zip Code

the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)

January 2, 1970. Nevada
J. Dean Baker-Agent/President
Craig F. Baker-Secretary
Thomas D. Baker-Treasurer

1. The source of water is Unnamed Spring 1
Name of stream, lake, underground, spring or other sources.
2. The amount of water applied for is 0.0234 cfs second feet.
One second foot equals 448.83 gallons per minute.
 - (a) If stored in reservoir give number of acre-feet _____
3. The water to be used for Stockwatering
Irrigation, power, mining, commercial, domestic or other use. Must limit to one major use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated _____
 - (b) Stockwater, state number and kind of animals 756 cattle
 - (c) Other use (describe fully in No. 12) _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point: (Describe as being within a 40-acre subdivision of public survey, and by course and distance to a found section corner. If on unsurveyed land, it should be so stated.)
SW1/4 SE1/4 Section 1, T.14 N., R.69 E., M.D.B. & M., or at a point which the W1/4 corner of Section 6, T.14 N., R.70 E., M.D.B. & M., bears N.40°27'02"E., 3,335.50 feet distant.

6. Place of use: (Describe by legal subdivision. If on unsurveyed land, it should be so stated.)
SW1/4 SE1/4 Section 1, T.14 N., R.69 E., M.D.B. & M.

7. Use will begin about January 1st and end about December 31st of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.)
Water will be piped to a 4' X 8' trough and 55 gallon drums.

9. Estimated cost of works: \$15,000.00

10. Estimated time required to construct works: 3 years
(If well completed, describe works.)

11. Estimated time required to complete the application of water to beneficial use: 5 years

12. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
(Failure to provide a detailed description may cause a delay in processing.)
Water will piped into 55 gallon drums and piped into a 4' X 8' trough.

13. Miscellaneous remarks:

dean@summitnv.com
E-mail Address

775-289-4445
Phone No.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT

Dean Neubauer, P.L.S.

By

Type or print name clearly.

Dean Neubauer
Signature, applicant or agent

Summit Engineering Corp.
Company Name

824 E. Aultman Street
Street Address or P.O. Box

Ely, Nevada 89301
City, State, Zip Code

RECEIVED
2009 APR 17 PM 2:26
STATE ENGINEERS OFFICE

\$250 FILING FEE AND SUPPORTING MAP MUST ACCOMPANY APPLICATION

Revised 11-07

Protested: June 25, 2009, by Southern Nevada Water Authority; June 25, 2009, by USDI, BLM, Ely District Office